



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



*NCS-Core Dumps
NCS-Core Braindumps
NCS-Core Real Questions
NCS-Core Practice Test
NCS-Core Actual Questions*



Nutanix

NCS-Core

Nutanix Certified Services Core Infrastructure Professional



<https://killexams.com/pass4sure/exam-detail/NCS-Core>

Question: 59

An administrator needs to deploy an application with a large amount of data connected via Nutanix Volumes.

Which two actions should the administrator take when designing the Volume Group? (Choose two.)

- A . Use multiple subnets for iSCSI traffic
- B . Enable RSS (Receive Side Scaling)
- C . Enable thick provisioning on the Volume Group(s)
- D . Distribute workload across multiple virtual disks

Answer: B,D

Question: 60

A customer is running out of storage in an ESXi cluster. The customer wants to add storage without paying for an additional hypervisor license.

Which option should the consultant recommend to meet the requirement?

- A . Convert the cluster to AHV to support storage-only node requirements.
- B . Select the storage-only checkbox during Foundation and then expand the cluster in Prism.
- C . Buy a new node to meet the requirements of the storage-only node specifications.
- D . Edit the factory_config.json file to configure the node as storage-only and then expand the cluster in Prism

Answer: C

Question: 61

An organization is running a Nutanix Cluster based on AOS 5.10.x and VMware vSphere 6.7. Currently, the CVM network is segmented and Storage only nodes not present.

A new security project based on NSX is coming. VMware Distributed Virtual Switches are required. The administrator needs to prepare the environment for the new project.

Which step should the administrator use to initiate the project?

- A . Enable Nutanix Flow at the Prism Central Level
- B . Manually disable CVM network Segmentation
- C . Convert storage only nodes into vSphere nodes
- D . Enable Jumbo Frames to accommodate network frames

Answer: D

Question: 62

An administrator is configuring software only. Data-at-Rest Encryption on their Nutanix cluster. They are planning to

deploy a third-party key management server (KMS).

Where should this server be hosted?

- A . As a single VM on the Nutanix cluster
- B . On hardware external to the Nutanix cluster
- C . As a clustered VM setup on the Nutanix cluster
- D . As a single VM deployed on the host that contains the Prism leader CVM

Answer: B

Question: 63

An administrator needs to create and start five new VMs for a Data Analytics Project (OLAP).

The VM Profile is as follows:

- vCPU:4
- vRAM: 64 GB
- vDisk: 1.5 TB

Each of the four nodes of the Nutanix cluster has the following:

- 24 vCPU. 20% overall usage
- 192 GB RAM, 60% overall usage
- 2x1920GBSSD
- 4x 2 TB HDD

At cluster level, there is a single RF2 container that is 30% utilized and has an extent store capacity of 13.5 TB.

Which component requires administrator attention?

- A . Physical RAM, because it is not enough to power on all of the new VMs.
- B . Physical Cores, because they are not enough to power on all of the new VMs.
- C . Storage, because the capacity is not enough to create VMs.
- D . Flash Tier because it is not enough to accommodate the workloads.

Answer: A

Question: 64

A VDI environment based on AHV Cluster is not performing well. The current environment is using only one bridge (Bridge0). The administrator needs to verify if nodes are using all network cards associated to Bridge0.

Which two menus should be used to check the current configuration? (Choose two.)

- A . Network Configuration item in Settings menu
- B . Host view in Network menu

- C . Host NICs tab in Hardware menu
- D . I/O Metrics tab in VM menu

Answer: B,C

Question: 65

A consultant is onsite with a customer running Foundation VM (FVM) and discovers that there is no connectivity between the FVM and their laptop.

The consultant verifies the following:

- * The consultant's laptop and Nutanix nodes are plugged into a flat switch.
- * The laptop, switch and nodes are plugged into supported power supplies.
- * The laptop network adapters and FVM are configured with their corresponding IP addresses.

What is the cause for the connectivity failure to the FVM?

- A . The switch is not plugged into the power supply.
- B . Desktop Firewall is blocking ping requests.
- C . Network cables are not connected.
- D . Laptop WiFi configured to use DHC

Answer: B

Question: 66

A customer with a four-node RF2 cluster is adding application VMs to their system. After adding these VMs, the Prism dashboard shows 81% storage utilization.

What is the consequence of running the cluster at 81% storage utilization?

- A . The customer has the ability to add more VMs up to the 100% storage utilization.
- B . There is available capacity in the storage fabric and the cluster is resilient.
- C . Node failure is imminent due to storage utilization.
- D . The cluster is not resilient in the storage fabric

Answer: D

Explanation: <https://next.nutanix.com/how-it-works-22/recommended-maximum-storage-utilization-37234>

Question: 67

Refer to the exhibit.

Overview

Table

Async DR

Remote Site

	NAME	
	ADR_local	
	ADR_local_no_cg	
	ADR_remote	
	ADR_remote_no_cg	
	ADR_remote_palo02	

Async DR Alerts

- Unable to locate VM(s) Lin_Ntnx_Uvm_1 protected by protection domain 'ADR_local_no_cg'.
- Unable to locate VM(s) Lin_Ntnx_Uvm_1 protected by protection domain 'ADR_local_no_cg'.
- Unable to locate VM(s) Lin_Ntnx_Uvm_1 protected by protection domain 'ADR_local_no_cg'.

After performing ESXi to AHV conversion on a cluster, the alerts shown in the exhibit display on Prism .

- What should the administrator do to resolve this issue efficiently?
- A . Remove the VMs. create a new Protection Domain, and add VMs to it
 - B . Remove VMs from the Protection Domain and add them back in.
 - C . Delete the Protection Domain, create a new Protection Domain, and add the VMs to it
 - D . Create a new Protection Domain and add the VMs to rt.

Answer: B

Question: 68

Refer to the exhibit.

Data Protection

1 Metro Availability

Async DR

Metro Availability

Remote Site

Name	Role	Metro Remote Site	Storage Container	Status	Failure Handling	B/W Used (Tb)	B/W Used (Rd)
PD-METRO	Active		DS-METRO	Decoupled	Witness	0 KBps	0 KBps

Summary

PD-METRO

PROTECTION DOMAIN DETAILS

Name

PD-METRO

Role

Active

Storage Container Name

DS-METRO

Remote Site

Status

Pending

Failure Handling

Witness

Replications

Local Snapshots

Remote Snapshots

Schedules

Metrics

Alerts

Events

Unresolved

1 Alert

Severity	Issue	Created Time	Last Occurred	Status	Details	Documentation
Critical	Prechecks for starting metro availability failed for the protection domain 'PD-METRO' to the remote site 'T'. Reason: 'Intended secondary site is decoupled'.	04:59:03 PM	04:59:03 PM		Remote Site, Protection on Disables	Cause Resolution

An administrator notices a critical alert on the Metro Availability Protection Domain

- What is causing this alert?
- A . Metro Availability Protection domain is active on the remote site.

- B . VMware Site Recovery Manager is handling a failover event
- C . Metro Availability did not fail over and caused an outage.
- D . vSphere moved VMs to the remote container, and the VMs must be moved back.

Answer: A

Explanation:

Ref: https://www.vvlsystems.com/wp-content/uploads/2016/11/BP-2009_Metro_Availability.pdf

Question: 69

A VM does not have enough resources for the demand, which leads to performance bottlenecks.

The VM is exhibiting one or more of following baseline values, based on the past 30 days:

- CPU usage > 90% (moderate), 95% (high)
- CPU ready time > 5%, 10%
- Memory usage > 90%, 95%
- Memory swap rate > 0Kbps (no moderate value).

Which type of VM is being described?

- A . Constrained VM
- B . Bully VM
- C . Inactive VM
- D . Over-provisioned VM

Answer: A

Question: 70

An administrator has a custom backup application that requires a 2TB disk and runs in Windows. Throughput is considerably lower than expected.

The application was installed on a VM with the following configuration:

- Four vCPUs with one core/vCPU
- 4GB of Memory
- One 50GB vDisk for the Windows installation
- One 2TB vDisk for the application

What is the recommended configuration change to improve throughput?

- A . Increase the number of cores per vCPU
- B . Increase the vCPUs assigned to the VM

- C . Span the 2TB disk across four vDisks
- D . Add 4GB of memory to the VM

Answer: C



SAMPLE QUESTIONS

*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:

Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>
Kill your exam at First Attempt....Guaranteed!