

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



*Podiatry License Exam Dumps*  
*Podiatry License Exam Braindumps*  
*Podiatry License Exam Real Questions*  
*Podiatry License Exam Practice Test*  
*Podiatry License Exam dumps free*



**Medical**

## Podiatry License Exam Part-III

*Podiatry License Exam*

<https://killexams.com/pass4sure/exam-detail/Podiatry-License-Exam-Part-III>



**Question: 309**

What is the most common cause of a chronic turf toe?

- A. Hyperextension of the hallux
- B. Trauma
- C. Infection
- D. Neurological disorder

**Answer: A**

**Question: 310**

What is the most appropriate treatment for a patient with a chronic proximal phalanx dislocation?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

**Answer: B**

**Question: 311**

What is the most effective treatment for a patient with a chronic Morton's neuroma?

- A. Physical therapy
- B. Steroid injection
- C. Surgery
- D. Rest and ice

**Answer: C**

**Question: 312**

What is the most common cause of a chronic plantar plate tear?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

**Answer: A**

**Question: 313**

What is the most appropriate treatment for a patient with a chronic fifth metatarsal stress fracture?

- A. Immobilization
- B. Physical therapy
- C. Steroid injection
- D. Surgery

**Answer: A**

**Question: 314**

What is the most effective treatment for a patient with a chronic medial tibial stress syndrome?

- A. Physical therapy
- B. Immobilization
- C. Surgery
- D. Rest and ice

**Answer: B**

**Question: 315**

What is the most common cause of a chronic interdigital neuroma?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

**Answer: A**

**Question: 316**

What is the most appropriate treatment for a patient with a chronic talus fracture?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

**Answer: B**

**Question: 317**

What is the most effective treatment for a patient with a chronic sesamoid stress fracture?

- A. Physical therapy
- B. Immobilization
- C. Surgery
- D. Rest and ice

**Answer: B**

**Question: 318**

What is the most common cause of a chronic lateral column overload syndrome?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

**Answer: A**

**Question: 319**

What is the most appropriate treatment for a patient with a chronic Lisfranc dislocation?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

**Answer: B**

**Question: 320**

What is the most effective treatment for a patient with a chronic hallux limitus?

- A. Physical therapy
- B. Steroid injection
- C. Surgery
- D. Rest and ice

**Answer: C**

**Question: 321**

What is the most common cause of a chronic medial column overload syndrome?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

**Answer: A**



For More exams visit <https://killexams.com/vendors-exam-list>

